


OMNEO

cn.boschsecurity.com



OMNEO

Praesideo

OMNEO

VU

OMNEO

IP

- OMNEO
- OMNEO Control Architecture

Audinate IP
Dante™
Open
OCA OCA

Praesideo

PC

OMNEO Dante™

Praesideo

(BGM)

OMNEO Dante™
OMNEO

2 x 16

VU

19

OMNEO

Dante™ Audinate Pty Ltd
Audinate Pty Ltd

Audinate®

Praesideo OMNEO
OMNEO

Praesideo OMNEO 48 kHz 44.1 kHz
OMNEO

OMNEO
Dante™

- 2 x 16 LCD

•

/

•

•

•

•

•

RJ45

OMNEO


3.5 0.14



- 1 PRS 40M4 OMNEO
- 1 19
- 1
- 1



	IEC 60065 / EN 60065	
	EN 55103 2 / EN 50130 4 / EN 50121 4	
	EN 55103-1 / FCC-47	15B
	EN 54 16	
	CPR	EU CPR Telefication
	CE	



- 1
- 2
- 3
- 4
- 5
- 6 OMNEO
- 7
- 8 DSP
- 9

- 24 48VDC
- 10W(DC)
- (100/1000Base-T)
- OMNEO
- 4 /4
- IEEE 802.3
- 24-bit
- 48kHz
- <1
- 8x
- 5x

x	x			
		92x440x400 3.6x17.3x15.7		
19		88x483x400 3.5x19x15.7		
	40	1.6		
	360	14.2		
	6	13.2		
		19		
		(PH10736)		
	-5°C	+55°C	23°F	+55°F
	-20°C	+70°C	-4°F	+158°F

	15%	90%
	600	1100hPa

OMNEO

IP

OMNEO

PRS-4OMI4

:
333
: 200335
: +86 21 22181111
: +86 21 22182388
www.boschsecurity.com.cn

:
11 5
506-509
: +852 2635 2815
: +852 2648 7986
www.boschsecurity.com.cn